# **Davids Datasheets**





## Goat Anti-Mouse IgG [HRP]

Cat.No: 20.0201

<u>www.davids-bio.com</u> (Custom Antibodies) <u>www.davids-science.de</u> (Lab Material)

#### -1- Introduction

Goats were immunized to produce these high-quality secondary antibodies. A complete mouse antibody fraction was used for the immunization to receive high specific secondary antibodies for all applications.

The antibodies were conjugated to HRP (Horse Radish Peroxidase) for the use in WesternBlot, ELISA, Immuno-Histo-Chemistry or similar applications. The antibody is compatible to dyes like ABTS or TMB. The peroxidase has a RZ-Value of > 3, 1000 ABTS U/mg or 300 Pyrogallol U/mg. The conjugation was performed in an equivalent ratio: Antibody to HRP (1:1).

Information				
Cat.No.	20.0201.02 (0.2 ml)			
	20.0201.05 (0.5 ml)			
	20.0201.10 (1.0 ml)			
	20.0201.20 (2.0 ml)			
Concentration	0.8 mg/ml			
Host	Goat			
Conjugation	HRP (Horst Radish Peroxidase)			

#### -2 - Manual

Dilution Recommendations of the secondary antibody						
WesternBlot	<b>O</b> 500	<b>S.000</b>	10.000	50.000	100.000	1:10.000 – 1:100.000
ELISA	<b>O</b> 500	5.000	10.000	50.000	O 100.000	1:5.000 – 1:50.000
IHC Dilution	500	5.000	O 10.000	O 50.000	O 100.000	1:500 – 1:5.000

### - 3 - Special Handling

Do not add Sodium Azide (NaN3) to this antibody. Sodium Azide may inhibit the activity of the enzyme irreversible. Preservation can be done with 0.02% Merthiolate or Thymol.

- 4 -	Information	
- 4 -	ппоппапоп	

Handling			
Preservation	Thymol		
Storage Conditions	2 – 8°C		
The antibody fraction has an expiration date of 6 months at 2 - 4°C. In many cases the fraction is stable for years.			
Protocols			
ELISA	https://data.davids-bio.com/protocols/12%20ELISA%20HRP.pdf		
WesternBlot	https://data.davids-bio.com/protocols/10%20WesternBlot.pdf		
IHC	https://data.davids-bio.com/protocols/11%20Protocols%20-%20IHC%20Frozen%20Tissue.pdf		
Antibody Storage	https://data.davids-bio.com/protocols/02%20Antibody%20Storage.pdf		